

Full line product catalog

Simple, rugged and affordable



- Automatic scrubbers
- Floor burnishers
- Floor machines
- Carpet extractors
- Wet/dry vacuum
- Air mover
- Sweepers

PART OF THE NILFISK GROUP





FANG™ 15B

Micro-Scrubber

- 15 inch cleaning path
- 3.5 gallon solution tank
- 3.5 gallon lift-off recovery tank
- Fold-down handle for easy storage
- Cast aluminum squeegee assembly
- Pad/Brush assist drive
- Two AGM 33 Ah batteries
- 5 amp onboard charger

AS4325B/AS4335C

Micro-Scrubbers



- 17 inch cord electric model (AS4335C)
- 17 inch battery model (AS4325B)
- Includes "pigtail" cord plus 65' extension cord (AS4335C)
- Includes (2) 85 Ah AGM batteries & on-board charger (AS4325B)
- Adjustable height handle also folds over for storage
- Foot pedal lifts brush deck and squeegee
- Highly maneuverable 3-point design

AS430C/AS510B

Compact Scrubbers



- 17 inch cord electric model (AS430C)
- 20 inch battery operated model (AS510B)
- 13 gallon solution and recovery tanks (AS430C)
- 10.5 gallon solution and recovery tanks (AS510B)
- Excellent for small spaces
- Pad/Brush assist drive
- One-pass cleaning

AS5160/AS5160T/ AS5160TO

Mid-Size Scrubbers



- 20 inch cleaning path
- 16 gallon solution and recovery tanks
- Improved ergonomics
- Maximum cleaning productivity and operator comfort
- Traction-drive operation on AS5160T and AS5160TO
- Orbital scrub head available on AS5160TO



AS6690T/AS7690T/ AS7190TO

Walk-Behind Scrubbers

- 26" & 30" disc and 28" orbital cleaning paths
- 22 gal solution and 24 gal recovery tanks
- One-button start for ease of use
- Standard debris tray prevents clogging
- Eco mode extends battery runtime
- Silent mode reduces sound level
- Click Off brush/pad removal (disc only)
- Finish removal mode (orbital only)
- Intuitive control panel with LCD screen

AS530R

Micro Rider Scrubber



- 20 inch cleaning path
- 19 gallon solution tank
- 19.2 gallon recovery tank
- 51 pounds of down pressure
- Easy recovery tank clean-out
- Integrated squeegee hanging system
- Easy to use mechanical lift systems

AS710R/AS850R

Compact Rider Scrubber



- 28 and 32 inch cleaning paths
- 31 US gal. solution and recovery tanks
- 77 and 80 pounds of down pressure
- One-touch scrubbing
- Four solution flow rates
- Easy recovery tank clean-out
- Integrated squeegee hanging system
- Side pocket for easy storage of paperwork
- USB port for charging portable electronics

AS1050R

Rider Scrubber



- 38.6 inch cleaning path
- 53 gallon solution and recovery tanks
- Adjustable down pressure up to 198 pounds
- One-touch operation with LCD display
- ECO mode for long run times
- Silent mode for cleaning in noise sensitive areas
- LED headlights and flashing amber beacon
- Electronic and mechanical brake systems



VENOM™ VN1715/VN2015

Floor Machines

- 17 and 20 inch cleaning paths
- 175 rpm
- 1.5 hp, 66-frame motor
- All-steel triple-planetary gear box
- All-metal construction
- 50 foot safety yellow power cord
- CSA approved
- Optional 2.5 gallon solution tank
- Optional 13 and 15 inch deck kits



VENOM™ VN20DS

Floor Machine

- 20 inch cleaning path
- Dual 185 rpm and 330 rpm speeds
- 1.5 hp, dc rectified, 66-frame motor
- All-steel triple-planetary gear box
- All-metal construction
- 50 foot safety yellow power cord
- CSA approved



VENOM™ VN1500

Burnisher

- 20 inch cleaning path
- 1,500 rpm
- Heavy-duty 1.5 hp, dc rectified motor
- Easy-to-use and maneuver
- Flexible pad driver
- All-metal construction
- Large transport wheels
- 50 foot safety yellow power cord
- CSA approved



DRAGON™ DR2000DC

Burnisher

- 20 inch cleaning path
- 2,000 rpm
- 1.5 hp motor
- Passive dust-control
- Quiet operation
- Flexible pad driver
- LED pad pressure indicator
- Fold-down handle for easy storage
- 50 foot safety yellow power cord
- CSA approved



AM2400D™

Air Mover

- 3-speed induction motor with thermal protection
- Up to 2,400 CFM air flow
- Four position settings provide flexibility for directing air movement
- Daisy-chain up to three units
- 50 foot safety yellow power cord
- Optional trolley kit with transport wheels and retractable handle



CEX410

Carpet Extractor

- 16 inch cleaning path
- 9 gallon solution tank
- 2-stage vacuum motor
- 120 psi pump
- Easy to use and maintain
- Twist-lock spray jets
- 50 foot safety yellow power cord
- Optional 12 inch wand, 3.5 inch hand tool, and 15 foot vacuum and solution hoses



WOLF130™

Carpet Spotter

- 4 inch hand tool
- 1 gallon solution tank
- 1250 W vacuum motor
- 30 psi pump
- 10' vacuum/solution hoses
- Large built-in wheels for easy transport
- 21.5 foot safety yellow power cord
- Blue mesh drawstring bag for hose/tool storage



PS480

Manual Push Sweeper

- 28 inch sweeping path
- Right side broom standard
- Left side broom optional
- 10 Gallon hopper
- Brushes stop when sweeper is pulled in reverse
- Adjustable handle



ROS1300

Ride-on Sweeper

- 51 inch sweeping path
- 30 gallon capacity debris hopper
- Left and right brooms standard
- Dual spray tip dust control system
- Flashing beacon and headlight standard
- "One-touch" operation
- Tools free maintenance of brooms & filter
- Electronic and manual braking systems



SHOVELNOSE™ SN18WD

Wet/Dry Vacuum

- 24 inch front-mount squeegee
- 18 gallon tank
- 1.17 hp motor
- 9 foot vacuum hose
- 50 foot safety yellow power cord
- Standard 5-piece contractor tool kit includes: crevice tool, dusting brush, wet and dry pick-up tools, and a 3-piece stainless steel wand



Viper machine specifications

Automatic scrubbers

Model #	Cleaning path	Solution tank	Recovery tank	Drive system	Pad pressure	Optional batteries	Charger	Brush motor	Vac motor	Waterlift	Max productivity
FANG 15B	15 in	3.5 gal	3.5 gal	brush/pad-assist	44.5 lb	(2) 12 V, 33 Ah	5-amp onboard	150 rpm	1-stage	40 in	8,000 ft²/hr
AS4325B	17 in	6.6 gal	6.6 gal	pad assist	41.8 lbs	(2) 12 V 85 Ah AGM	5-amp on-board	170/140 (Eco) rpm	2-stage	35 in	12,739 ft²/hr
AS4335C	17 in	9.2 gal	9.25 gal	pad assist	41.8 lbs	Electric 66 ft. power cord	NA	140 rpm	2-stage	35 in	12,739 ft²/hr
AS430C	17 in	13 gal	13 gal	brush/pad-assist	77 lb	electric, 66 ft cord	N/A	160 rpm	2-stage	47.2 in	12,739 ft²/hr
AS510B	20 in	10.5 gal	10.5 gal	brush/pad-assist	77 lb	(2) 12 V, 105 Ah	9-amp onboard	150 rpm	2-stage	47.2 in	15,748 ft²/hr
AS5160	20 in	16 gal	16 gal	pad-assist	60 lb	(2) 12 V, 105, 130 Ah, 128 Ah TPPL	10-amp onboard; 25-amp s/c TPPL	150 rpm	2-stage	47.2 in	15,748 ft²/hr
AS5160T	20 in	16 gal	16 gal	traction	51 lb	(2) 12 V, 105, 130, 145 Ah, 128 Ah TPPL	10-amp onboard; 25-amp s/c TPPL	150 rpm	2-stage	47.2 in	23,680 ft²/hr
AS5160TO	20 in	16 gal	16 gal	traction	88 lb/110 lb	(2) 12 V, 130, 140 Ah, 128 Ah TPPL	13-amp onboard; 25-amp s/c TPPL	2200 rpm	2-stage	47.2 in	23,680 ft²/hr
AS6690T	26 in	22 gal	24 gal	traction	71/90/108 lbs	(2) 12 V, 215 Ah; (4) 6 V, 242 Ah, 312 Ah AGM, 120 Ah TPPL	25-amp obc wet; 25-amp s/c-ampGM; 50-amp s/c TPPL	200/160 (Eco) rpm	2-stage	60 in	28,400 ft²/hr
AS7690T	30 in	22 gal	24 gal	traction	77/95/112 lbs	(2) 12 V, 215 Ah; (4) 6 V, 242 Ah, 312 Ah AGM, 120 Ah TPPL	25-amp obc wet; 25-amp s/c-ampGM; 50-amp s/c TPPL	200/160 (Eco) rpm	2-stage	60 in	32,700 ft²/hr
AS7190TO	28 in	22 gal	24 gal	traction	93/120/143 lbs	(4) 6 V, 242 Ah, 312 Ah AGM	25-amp obc wet; 25-amp s/c-ampGM	2200/1600 (Eco) rpm	2-stage	60 in	24,400 ft²/hr
AS530R	20 in	19 gal	19.2 gal	traction	51 lb	(2) 12 V, 130, 140 Ah, 128 Ah TPPL	10-amp onboard; 25-amp s/c TPPL	160 rpm	2-stage	48 in	31,000 ft²/hr
AS710R	28 in	31 gal	31 gal	traction	up to 77 lb	(4) 6 V, 245 Ah, 128 Ah TPPL	25-amp; 50-amp s/c TPPL	204 rpm	3-stage	63 in	47,500 ft²/hr
AS850R	32 in	31 gal	31 gal	traction	up to 80 lb	(4) 6 V, 242 Ah, 312 Ah, 128 Ah TPPL	25-amp; 50-amp s/c TPPL	204 rpm	3-stage	63 in	55,218 ft²/hr
AS1050R	38.6 in	53 gal	53 gal	traction	up to 198 pounds	(6) 6 V 420 Ah, 312 Ah	33-amp	240/175 (ECO) rpm	3-stage	62 in	84,380 ft²/hr

Floor machines

Model #	Cleaning path	RPM	Motor type	Motor hp	Gear box	All-metal	CSA	Cable	Standard features	Optional accessories
VN1715	17 in	175	AC-2 capacitor	1.5 hp	triple-planetary, all steel	yes	yes	50 ft	16 inch pad driver	2.5 gal solution tank, 13 and 15 inch decks
VN2015	20 in	175	AC-2 capacitor	1.5 hp	triple-planetary, all steel	yes	yes	50 ft	19 inch pad driver	2.5 gal solution tank, 13 and 15 inch decks
VN20DS	20 in	330 / 185	DC rectified	1.5 hp	triple-planetary, all steel	yes	yes	50 ft	19 inch pad driver	2.5 gal tank, 13, 17 and 15 inch decks

Burnishers

Model #	Cleaning path	RPM	Motor type	Motor hp	Gear box	All-metal	CSA	Cable	Standard features	Optional accessories
VN1500	20 in	1,500	DC rectified	1.5 hp	—	yes	yes	50 ft	19 inch pad driver	n/a
DR2000DC	20 in	2,000	DC rectified	1.5 hp	—	with poly. motor cover	yes	50 ft	19 inch pad driver, dust-control, folding handle	disposable dust bags (5/pkg.)

Extractors

Model #	Cleaning path	Solution tank	Recovery tank	Vac motor	Airflow	Brush speed	Jets	Cable	Optional accessories
CEX410	16 in	9 gal	6 gal	2-stage	85 CFM	1200 rpm	2 quick- disconnect jets	50 ft	12 inch wand, 4 inch hand tool, 15 foot hoses
WOLF130	4 in	1 gal	1 gal	2-stage	-	-	1 jet	21.5 ft	8 inch wand, 15 foot hoses

Wet/dry vacuum

Model #	Cleaning path	Capacity	Vac motor	Airflow	Waterlift	Cable	Standard features	Optional accessories
SN18WD	24 in	18 gal	2-stage	95 CFM	110 in	50 ft	24 inch front-mount squeegee, 5-pc. tool kit, 9 foot vac hose	cloth bag, paper bags, 30 in squeegee assy., 24 in dry pick-up assy.

Sweepers

Model #	Sweeping path	Main broom width	Side broom width	Hopper capacity	Optional accessories
ROS1300	52 in	28 in	20 in dia.	30 gal	Overhead guard, blue LED spotlight, Steel mix brooms, extra water tank
PS480	28 in	19 in	13 in dia.	10 gal	Left side broom kit

Air mover

Model #	Speeds	Low	Medium	High	Motor	Cable	Optional accessories
AM2400D	3-speed	2,000 CFM	2,200 CFM	2,400 CFM	1/3 hp	21 ft	flexibility trolley kit, with transport wheels and retractable handle



Nilfisk, Inc.
9435 Winnetka Avenue North
Brooklyn Park, MN 55445

Phone: 800.989.2235
Fax: 800.989.6566
www.nilfisk.us

Nilfisk Canada Co.
240 Superior Boulevard
Mississauga, Ontario, Canada L5T 2L2

Phone: 800.668.8400
Fax: 800.263.5111
www.nilfisk.ca