

# Full Line Product Catalog



Trusted. Reliable. Efficient.

**Clarke**<sup>®</sup>  
by Nilfisk

# Vacuums

## ReliaVac®

### Single Motor Upright Vacuums

- 12 & 16 in cleaning paths
- 4 models to choose from
- 7 amp motor
- 50 foot safety yellow cord
- Low cost maintenance
- Exclusive green fan with lifetime guarantee against breakage
- Durable steel brush roller (12 and 12DC models)
- High performance aluminum brush roller (12HP and 16HP models)
- Replaceable bristle strips and beater bars for versatile cleaning
- Removable clear fan cover allows for identifying and removing clogs
- Headlight illuminates work area (HP models only)
- ReliaVac® 12 DC model has an easy to empty dirt cup



## CarpetMaster® 100 Series

### Single Motor Upright Vacuums

- 11.5 and 14.5 inch cleaning paths
- Standard H.E.P.A. filtration
- Easy accessible tools and quick-draw wand
- Convenient handle grip on front of vacuum
- Easy maintenance features
- Innovative quick cord clip for simple cord management
- Powerful 9-amp, 2 stage motor
- 50 foot safety yellow power cord
- Low 69 dB A sound level



## Saltix™ 10

### Canister Vacuum

- 12 inch multi purpose – multi-surface floor tool
- Rear mounted wand and floor tool storage
- 4-level filtration system including H.E.P.A. 900 Watt motor
- 50 dB A sound level
- Filter basket standard for bagless operation
- Rotating dust brush, crevice tool and power cord stored onboard
- Telescopic aluminum wand optional 33 foot safety yellow cord



## CarpetMaster® 200 Series

### Dual Motor Upright Vacuums

- 12, 15 and 18 inch cleaning paths
- Standard H.E.P.A. filtration
- Easy accessible tools and quick-draw wand
- Convenient handle grip on front of vacuum
- Easy maintenance features
- Innovative quick cord clip for simple cord management
- Powerful 9-amp, 2 stage motor
- 50 foot safety yellow power cord
- Low 69 dB A sound level



## VP600™

### Canister Vacuum

- 2.6 gallon container
- Extra efficient 800 Watt motor
- Three levels of filtration standard, H.E.P.A. filter standard
- Power Boost for increased performance
- 33 foot cord, dust brush and crevice tool stored onboard
- Easy-access magnetic closing lid
- Telescopic aluminum wand
- Passive floor tool for both hard and soft floors
- Ultra quiet 47 dB A sound pressure (Power Boost 54 dB A sound pressure)



## Comfort Pak™

### Backpack Vacuums

- Available in 6 or 10 quart models
- Ultra quiet 62 dB A
- Standard 5 piece tool kit
- 50 foot safety yellow power cord
- 4-stage filtration; H.E.P.A. is optional
- Very comfortable and lightweight with lots of capacity
- Unique harness design reduces operator strain
- Exhaust is directed up and away - keeping the operator cool



## Euroclean GD930™

### Canister Vacuum

- 4 gallon dust collection bag
- 1,000 Watt, 1.25 hp motor
- Waterlift 89 inches
- Air flow 67 CFM
- 66 dB A sound level
- Three levels of filtration standard
- Optional H.E.P.A. filtration
- Injection molded cover
- Durable chrome plated steel tank
- Dual mode floor tool
- Foot operated on/off switch
- Standard tools include a combination brush/nozzle, 6 foot suction hose, dual mode floor tool, two piece wand and crevice tool



## Wet/Dry Vacuums

### Summit Pro® 18SQ™

#### Wet/Dry Vacuums

- 24 inch cleaning path
- 18 gallon tank capacity
- 2-stage vacuum motor
- 95 CFM airflow at orifice
- 1.17 hp motor
- 50 foot power cord
- High productivity
- Integrated 24 inch front-mounted squeegee assembly with pedal actuator
- Includes 5 piece tool kit, 9 foot hose and stainless wand with onboard storage
- 10 inch wheels permit easy stair climbing



### Maxxi II™ 35

#### Wet/Dry Vacuum

- 9 gallon tank size
- 50 foot power cord
- 1,100 Watt motor
- 101 CFM airflow
- Quality 3-stage filtration
- Powerful motor maximizes cleaning performance
- Accessories to help tackle diverse cleaning challenges



### Maxxi II™ 55

#### Wet/Dry Vacuum

- 14 gallon tank size
- 50 foot power cord
- 1,100 Watt motor
- 101 CFM airflow
- Quality 3-stage filtration
- Powerful motor maximizes cleaning performance
- Accessories to help tackle diverse cleaning challenges



### Maxxi II™ 75

#### Wet/Dry Vacuum

- 19 gallon tank size
- 50 foot power cord
- 1,100 Watt motor
- 101 CFM airflow
- Quality 3-stage filtration
- Powerful motor maximizes cleaning performance
- Accessories to help tackle diverse cleaning challenges
- Front mounted squeegee
- Standand tool package optional



### Attix 33

#### Wet/Dry Vacuum

- 8 gallon tank
- 25 foot grounded power cord
- 1,000 Watt motor
- 150 CFM airflow
- InfiniClean filter cleaning
- HEPA and non-HEPA models
- Auto tool start models available
- Optional tool storage box



### Attix 44

#### Wet/Dry Vacuum

- 11 gallon tank
- 25 foot grounded power cord
- 1,000 Watt motor
- 150 CFM airflow
- InfiniClean filter cleaning
- HEPA and non-HEPA models
- Auto tool start models available
- Optional tool storage box



### Aero 21-01 PC/

### Aero 26-21 PC

#### Wet/Dry Vacuum

- 5 gallon tank/ 6.6 gallon tank
- 1,000 Watt motor
- 127 CFM airflow
- Push&Clean filter cleaning
- HEPA and non-HEPA models
- Washable filter, PET





## Sweeper and Extractors



### BSW 28 Walk-Behind Sweeper

- 28 inch sweeping path (with side broom)
- Gel battery power source with onboard charger
- 2.5 to 3 hour battery run time on carpet
- Electrical motor runs side broom - no belts
- Side broom for active sweeping into large hopper
- Sweeps up small debris, dirt and dust
- Indoor (carpet & hard floors) or outdoor use
- Quick and easy change out of filter and brooms - no tools



EX20™ 100H

### EX20™ Portable Extractors

- 12.5 gallon solution tank
- 11 gallon recovery tank
- 15 foot vacuum and solution hoses
- 212° F heat at the wand tip (100SC & 100H)
- Cold water extractor (100C)
- Single 5.7 inch, 3-stage vacuum
- 12 inch stainless steel scrub wand standard
- AquaWand™ optional upgrade
- Unique transport handle design
- Handle on top of the tank
- Wand caddy for easy transport
- Oversized, rubber grip rear wheels
- Two front panel roller wheels assist in loading/unloading
- Extension cord wraps



### EX40™ 16ST & 18LX Self-Contained Extractors

- 16 or 18 inch cleaning paths
- 9 gallon solution tank (16ST)
- 12 gallon solution tank (18LX)
- 1.5 hp, 3-stage vacuum motor, 120 inch waterlift
- Laminar flow vacuum shoe
- 50 foot detachable safety yellow power cord
- Optional integrated hand tool
- Easy One-Touch™ controls
- Ergonomic handle for improved control
- Full rotating handle adjustment (18LX)
- Brush and vacuum shoe removal without tools
- Front mounted drain hose
- Removable tank with stowable handle
- Hard floor kit available



### Clean Track® L24 Battery Carpet Extractor

- 24 inch cleaning path
- 20 gallon solution tank
- 16 gallon recovery tank
- 93 cfm (44 L/sec)
- Waterlift 70 inches
- Low 69 dB A sound level
- LIFT™ (Low-moisture, Indirect spray, Fast dry time, True cleaning) technology
- Deep-cleaning restoration mode
- Deep Treat™ single-pass, pre-spray feature
- Onboard detergent dispensing



## Floor Machines and Burnishers



### FM40™ ST & LX

#### Orbital Floor Machines

- 20 inch scrubbing and cleaning path (20 x 14 scrub pad)
- 1.5 hp heavy duty motor driving a 3,540 rpm orbital deck
- Includes weight kit consisting of three 21 lb weights
- Quiet, low vibration design at 68 dB A
- Switchable wheels-up/wheels-down modes (LX model)
- Baseboard cleaner standard (LX model)
- Detachable handle standard (LX model)
- 3,540 rpm
- 1.5 hp motor and 160 lb of down pressure
- Chemical-free floor stripping
- 50 foot, 14/3 safety yellow power cord
- Dust containment kit, solution tank kit, various scrub pads and sand screens available



### CFP Pro® 17HD & 20HD

#### Floor Machines

- 17 and 20 inch scrubbing and cleaning paths
- Powerful 1.5 hp motor with all-steel triple planetary gear box
- 5 inch non-marking transport wheels
- 50 foot safety yellow power cord
- All metal construction
- Pad driver included with universal clutch plate
- Easy-to-use, fingertip controls
- Safety lock-out switch



### CFP Pro® 20DS

#### Floor Machine

- 20 inch scrubbing and cleaning path
- Switchable 185/330 rpm dual speed
- Powerful 1.5 hp DC rectified motor with all-steel triple planetary gear box
- 5 inch non-marking transport wheels
- 50 foot safety yellow power cord
- All-metal construction
- Pad driver included with universal clutch plate
- Easy-to-use, fingertip controls
- Safety lock-out switch



### Ultra Speed Pro® 1500

#### Cord-Electric Burnisher

- 20 inch burnishing path
- 1,500 rpm produces wet-look shine
- Safety lock-out switch
- Easy-to-use, fingertip controls
- Safety lock-out switch
- Handle-mounted circuit breaker
- All-metal construction
- Low sound level at only 68 dB A



### Ultra Speed® 20 & 20T

#### Battery Walk-Behind Burnishers

- 20 inch burnishing path
- 20T model has traction drive
- Wet cell or AGM batteries
- Polishing rate of 24,000 sq/ft per hour
- Self regulating pad pressure
- Non-traction or power traction drive
- Class leading passive dust control
- Easy tip back feature for convenient pad changes
- Standard onboard battery charger
- Only 68 dB A

## Scrubbers



### MA10™ 12E

#### Cord-Electric Upright Scrubber

- 12.2 inch scrub path
- 4 inch cleaning clearance
- 0.8 gallon solution tank
- 1 gallon recovery tank
- Ideal design for scrubbing small spaces quickly
- Creates a cleaner environment compared to mopping
- Cleans hard surfaces quickly and effectively
- Simple and intuitive controls
- Ergonomic handle for easy operations
- Cylindrical scrub brush operates at 2,100 rpm
- Forward and reverse solution recovery
- Solution tank dispenses only clean solution
- Optional carpet kit



### CA30™ 17E

#### Compact Cord-Electric Scrubber

- 17 inch scrub path
- 13.2 gallon solution and recovery tanks
- 120 V cord-electric with 65 foot safety yellow cord
- Easy-to-use fingertip controls
- Low profile design for cleaning tight, hard-to-reach areas
- Rounded squeegee for easy and complete solution pick-up
- Low 72 dB A sound level



### MA30™ 13B

#### Battery Micro Scrubber

- 13.5 inch scrub path
- 1.6 gallon solution tank and recovery tank
- Front squeegee can be raised to pick up small debris while scrubbing
- Adjustable brush pressure knob to optimize required cleaning intensity
- Recovery tank and battery covers are magnetically secured, allowing easy removal and replacement
- Easy to maintain with tools-free brush and squeegee removal



### CA30™ 20B

#### Compact Battery Scrubber

- 20 inch scrub path
- 10.5 gallon solution and recovery tanks
- Long-lasting batteries and onboard charger
- Easy-to-use fingertip controls
- Low profile design for cleaning tight, hard-to-reach areas
- Rounded squeegee for easy and complete solution pick-up
- (2) 12 V, 105 Ah AGM batteries with onboard charger
- Low 70 dB A sound level
- Pad Assist



### Vantage 14

#### Battery Micro Scrubber

- 14.5 inch scrub path
- 3 gallon solution / recovery tank
- Patented, rotating deck
- Single 14 inch disc scrub brush
- Full battery-powered operation and onboard battery charger
- Compact, maneuverable design
- Brush-assisted operation
- Low 64 dB A sound level



### CA60

#### Compact Battery Scrubbers

- 20 inch disc and 20 or 24 inch orbital scrub decks
- Brush assist or traction offered on 20" disc
- Available with BOOST® technology with up to 110 pds down pressure for one pass cleaning
- Large 16 gal (61 L) tanks for fewer dump and refills
- Fully accessible recovery tank with debris catch cage
- Intuitive control panel display for ease of operation
- Wet or AGM 24 V battery choices
- Optional Chemical Mixing System
- Available with Power Traverse system



### MA50™ 15B

#### Battery Micro Scrubber

- 15 inch scrub path
- 3.5 gallon solution / recovery tank
- Easy-to-use fingertip controls
- Low profile design for cleaning tight, hard-to-reach areas
- Onboard battery charger and auxiliary charging cable
- Rounded squeegee for easy and complete solution pick-up
- Fold-down handle for storage
- Low 70 dB A sound level

## Scrubbers



### Focus® II Mid Size Scrubbers

- 26, 28 and 34 inch disc scrub paths
- 28 inch cylindrical scrub path
- 28 and 32 inch BOOST® scrub paths
- 23 gallon solution and recovery tanks
- Large tank capacity for longer run times
- Superior solution conservation and pickup
- Onboard battery charger
- Optional, onboard chemical mixing system

### Focus® II Rider Scrubbers



- 28 inch BOOST® or 28 and 34 inch disc scrub paths
- 31 gallon solution and recovery tanks
- Available with BOOST® Technology
- Tight turning radius
- Increased down pressure
- Quiet operation
- Optional Chemical Mixing System
- Flexible cleaning capabilities
- One-touch scrubbing with three pressure settings
- Wet or AGM 24 V battery choices
- Large recovery tank opening with debris catch cage and integrated squeegee hanger
- High traction urethane tires



### Focus® II MicroRider™ Micro Rider Scrubbers

- 26 and 28 inch scrub paths
- 21 gallon solution and recovery tanks
- BOOST® Technology with chemical-free floor finish removal
- SafetyGlide™ scrub deck
- Easy operation with Safe-T-Steering™
- Optional chemical mixing system
- Comfortable driver compartment
- Wet or AGM 24 V battery choices
- Low sound levels – low setting 61 dB A / high setting 65 dB A

### SA40™ Stand-On Scrubber



- 20 inch disc scrub path
- 12 gallon solution tank
- 12.5 gallon recovery tank
- Two scrub pressures up to 75 Lb
- High productivity
- Excellent maneuverability
- Flexible cleaning to address varying soil levels
- Designed to provide maximum clean and safety
- Extremely quiet for daytime cleaning
- Wet or AGM 24 V battery choices
- Wrap-around squeegee ensures 100% water pick-up and dry floors



### RA40™ Micro Rider Scrubber

- 20 inch disc scrub path
- 18.5 gallon solution and recovery tanks
- SmartFlow™ solution control system
- Excellent maneuverability
- Flexible cleaning to address varying soil levels
- Designed to provide maximum clean and safety
- Multifunction display with One-Touch control panel
- Wet or AGM 24 V battery choices
- Low sound levels – silent mode 62 dB A  $\pm$ 3 / normal mode 68 dB A  $\pm$ 3

## Specialty Products



### TFC 400™

#### All Purpose Cleaner

- 20 gallon solution tank
- 13 gallon recovery tank
- Application flow 400 psi (1 gpm)
- 2 Stage 900 Watt vacuum motor
- Vacuum exhaust blower motor
- 81 inches of waterlift
- 25 foot (GFI) power cord
- Touch-free, all-purpose cleaner
- Small footprint for easy storage
- Compact, maneuverable
- Optional front mount squeegee
- Simple storage for recovery and solution hose
- Removable pallet contains all electrical components



### AM2400D™

#### Air Mover

- Three speed settings
- 2,000 / 2,200 / 2,400 CFM
- Four angle settings
- Onboard outlet for daisy-chaining up to 3 units
- Lightweight, compact and stackable
- Optional trolley kit with wheels and retractable handle for easy transport
- Thermally protected motor
- 21 foot power cord (6.5 m)



Get free training and access to product resources  
with **Nilfisk University** at [nilfisku.com](http://nilfisku.com)

#### Nilfisk, Inc.

9435 Winnetka Avenue North  
Brooklyn Park, MN 55445  
Phone: 800.989.2235  
Fax: 800.989.6566  
[www.nilfisk.us](http://www.nilfisk.us)

#### Nilfisk Canada Co.

240 Superior Boulevard  
Mississauga, Ontario, Canada L5T 2L2  
Phone: 800.668.8400  
Fax: 800.263.5111  
[www.nilfisk.ca](http://www.nilfisk.ca)

©2020 Nilfisk, Inc. All rights reserved.  
P/N L70537C\_0723

**Clarke**  
by Nilfisk